Comparison of Ideal vs. Actual Weight Based Factor Dosing in Hemophilia A Eligibility Form

Name:	Age:	Gender	·:
Diagnosis:	Height:	ABW:	kg
For ages 12 to <20, BMI percentile:	For ages 20-	+, BMI:	kg/m²
Which BMI category for patient's age (please cir	cle one below, m	ust circle one to	be eligible):
Overweight (25 to <30 kg/m ² BMI <u>or</u> 85 to <95 perc	entile) Obese (30+ kg/m² BMI <u>or</u>	95+ percentile)
Eligibility Checklist (must all be Yes to be eligible	<u>e):</u>		
Subject is at least 12 years old:		Yes	No
Subject is male:		Yes	No
Subject has a Hemophilia A Diagnosis:		Yes	No
Subject is either Overweight or Obese:		Yes	No
Exclusion Checklist (must all be No to be eligible	<u>e):</u>		
Subject has past history of Factor VIII inhibitor o	f > 0.6 BU on two		
		Yes	No
Subject has history of abnormal recovery of less	•	•	66% of the
calculated value of 2% per unit factor per kg adn	ninistered):	Yes	No
Subject has other known bleeding disorder:		Yes	No
Subject has known other prolongation in aPTT (I	upus anticoagula	nt, FXII deficienc	cy):
		Yes	No
Subject ID (to be assigned if enrolled):			
Form Completed By:			
Signature:			
Date Filled Out:	Calculated IBW: kg		